



EXHIBIT 1

HUBBARD
ENTERPRISES

QUICK BELT™ 50F

Water Heater Restraints



Model # QB-50-F

*Quick Lock™ System
Creates
a Secure Installation*

- Soft Belt-Style Restraint
- Earthquake and Other Natural Disaster Restraint System
- Meets Plumbing Codes
- Complies with Real Estate Codes
- Rated up to 80 Gallons
- Self-drilling Lag Bolts
- Fully Adjustable from Front of Water Heater



Patent Pending


"Converting Makeshift Plumbing Methods into Engineered Solutions"

Toll Free: (800) 321-0316 • Fax: (760) 744-0507 • www.holdrite.com


BEST AVAILABLE COPY

Installation Instructions for the QUICKBELT™ 50F Water Heater Restraints

1. Mark stud locations on both sides of heater within top and bottom thirds. Bottom strap must clear controls by 4".
2. Attach end brackets to studs at marks with lags, noting orientation of brackets.




3. Join straps in front: A. Insert free end from behind and through front buckle. B. Loop free end over front of buckle, back through second slot, and out through back of buckle. C. Dress loop and pull free end to remove slack. D. Press down on Quick Lock™ to secure strap. E. Secure excess strap with supplied wire clip.



PACKAGE CONTENTS:

- 4 - Straps
- 4 - Lag Bolts
- 2 - Wire Clips



WARNING:


Risk of damage or injury if concealed pipes or wiring are contacted during installation. If unsure seek qualified help.

BUCKLE RELEASE: Insert screwdriver into gap between front plate and side flange, just forward of each lock. Twist gently while prying up. Pull up on thumb tab to free strap.

Full performance even if only one lock is engaged.

If not a "Zero Clearance" water heater, back spacer is needed. Use or construct two spacers to meet water heater manufacturer's spacing requirements, one at each strap height. Lag bolts must not attach to back spacers.

INSTALLATION OPTIONS: (Top View)



WARRANTY/DISCLAIMER

HUBBARD ENTERPRISES warrants this product to be free of defective material and workmanship for as long as you own the water heater it secures. This is the full extent of our lifetime warranty. It is the responsibility of the user to make sure the restraint is properly installed. HUBBARD ENTERPRISES shall not be liable for improper installations.

PATENT PENDING

393 Enterprise Street, San Marcos, CA 92078 Phone: (800) 321-0316 www.holdrite.com